BOSTIK

SAFETY DATA SHEET

SIMSON ISR 70-05 AP BLACK Revision Number 2.01

Revision date 19-Jul-2022 Supersedes Date: 10-Jul-2019

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name SIMSON ISR 70-05 AP BLACK

Product Code(s) 30601102

30600973; 30601102

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Adhesives and/or sealants

Uses advised against No information available

Details of manufacturer or importer

<u>Supplier</u> <u>Manufacturer</u>

Bostik Australia Pty Ltd Bostik SA 51-71 High Street, 420 rue d'Estienne d'Orves

Thomastown Victoria 92700 Colombes

Australia FRANCE

Tel: 613 9279-9333 Tel: +33 (0)1 49 00 90 00 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Serious eye damage/eye irritation Category 2 - (H319)

Label elements

Exclamation mark



SIMSON ISR 70-05 AP BLACK

Revision Number 2.01 Supersedes Date: 10-Jul-2019

Revision date 19-Jul-2022

WARNING

Hazard statements

H319 - Causes serious eye irritation

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number Not applicable 7

Section 3: Composition and information on ingredients, in accordance with Schedule 8

<u>Substance</u>

Not applicable

<u>Mixture</u>

Chemical name	CAS No	Weight-%
Trimethoxyvinylsilane	2768-02-7	0 - <10
1-Propanamine, 3-(trimethoxysilyI)-	13822-56-5	0 - <10
Carbon black	1333-86-4	0 - <10
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water.

Ingestion Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Small amounts of toxic methanol are released by

hydrolysis.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

Most important symptoms and effects, both acute and delayed

SIMSON ISR 70-05 AP BLACK

Revision Number 2.01 Supersedes Date: 10-Jul-2019

Revision date 19-Jul-2022

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the Therm

chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon

dioxide.

Special protective actions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

SIMSON ISR 70-05 AP BLACK

Revision Number 2.01 Supersedes Date: 10-Jul-2019

Revision date 19-Jul-2022

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

Keep at temperatures between 50 and 95 °F / 10 and 35 °C. Keep at temperatures

work.

Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feeding stuffs.

Recommended storage

between 50 and 95 °F / 10 and 35 °C.

temperature

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

Chemical name	Australia
Carbon black	TWA: 3 mg/m ³
1333-86-4	

OEL as published by Safe Work Australia

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing.

Hand protection Wear suitable gloves.

Respiratory protection Organic gases and vapors filter conforming to EN 14387. White. Brown.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid Paste **Appearance** Color Black Odor Odorless Odor threshold Not applicable

Values Remarks • Method **Property**

рΗ No data available pH (as aqueous solution) No data available Melting point / freezing point No data available Initial boiling point and boiling No data available

range

Flash point No data available **Evaporation rate** No data available **Flammability** Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

SIMSON ISR 70-05 AP BLACK

Revision Number 2.01 Supersedes Date: 10-Jul-2019

Revision date 19-Jul-2022

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available Relative vapor density No data available No data available Relative density Insoluble in water Water solubility Solubility(ies) No data available No data available Partition coefficient Autoignition temperature No data available **Decomposition temperature** No data available Kinematic viscosity No data available

Dynamic viscosity 17000 - 32000 Pa.s @ 20 °C

Explosive propertiesNo information available **Oxidizing properties**No information available

Other information

Solid content (%) No information available

Density 1.5 g/ml

VOC Content (%)

No information available

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are

products formed by hydrolysis and released upon curing.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

SIMSON ISR 70-05 AP BLACK

Revision Number 2.01 Supersedes Date: 10-Jul-2019

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

Skin contact Based on available data, the classification criteria are not met. May cause irritation.

Prolonged contact may cause redness and irritation. May cause sensitization in

Revision date 19-Jul-2022

susceptible persons.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms May cause redness and tearing of the eyes.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

ATEmix (inhalation-vapor) 487.20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
1-Propanamine,	LD50 (Rattus) > 2000 mg/ kg	LD50 (Oryctolagus cuniculus) >	-
3-(trimethoxysilyl)-	(2,97 ml/kg) (OECD 401)	2000 mg/kg 11,3 ml/kg)	
		OECD 402	
Carbon black	LD50 > 8000 mg/kg (Rattus)	> 3 g/kg (Oryctolagus	> 4.6 mg/m³(Rat)4 h
	OECD 401	cuniculus)	
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m³ (Rattus) 4 h
dyl) sebacate	OECD 423	OECD 402	

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Component Information							
Trimethoxyvinylsilane (2768-02-7)							
Method	Method Species Exposure route Effective dose Exposure time Results						
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant		

Bis(2,2,6,6-tetramethyl-4-p	piperidyl) sebacate	(52829-07-9)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

SIMSON ISR 70-05 AP BLACK

Revision Number 2.01 Supersedes Date: 10-Jul-2019

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		72 hours	irritant
Acute Eye					
Irritation/Corrosion					

Bis(2,2,6,6-tetramethyl-4-p	piperidyl) sebacate	(52829-07-9)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitization

OECD Test No. 406: Skin Sensitization. No sensitization responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitization in susceptible persons.

Revision date 19-Jul-2022

Product Information						
Method	Species	Exposure route	Results			
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitization responses			
Sensitization			were observed			
Component Information	Component Information					
Trimethoxyvinylsilane (2768-02-	-7)					
Method	Species	Exposure route	Results			
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitizing			
Sensitization, Buehler test						

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)		
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Did not cause sensitization on
Sensitization	, -		laboratory animals

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)					
Method	Species	Exposure route	Results		
OECD Test No. 406: Skin	Guinea pig		No sensitization responses		
Sensitization			were observed		

Germ cell mutagenicity No information available.

Component Information				
Trimethoxyvinylsilane (2768-02-7)				
Method Species Results				
OECD Test No. 471: Bacterial Reverse in vitro Not mutagenic				
Mutation Test				

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Carbon black			Group 2B
1333-86-4			

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity

No information available.

SIMSON ISR 70-05 AP BLACK Revision Number 2.01

Revision Number 2.01 Supersedes Date: 10-Jul-2019

Revision date 19-Jul-2022

Component Information Trimethoxyvinylsilane (2768-02-7)			
, , , , , , , , , , , , , , , , , , ,	Species	Results	
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test		Not Classifiable	

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)		
Method	Species	Results
OECD Test No. 408: Repeated Dose 90-Day	Rat	Not Classifiable
Oral Toxicity Study in Rodents		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	(52829-07-9)	
Method	Species	Results
OECD Test No. 414: Prenatal Development	Rat, Rabbit	Reproductive toxicant
Toxicity Study		

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Component Information					
Trimethoxyvinylsilane (2)	768-02-7)				
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapor		90 days	0.058 NOAEL
Subchronic Inhalation					
Toxicity: 90-day Study					

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)
1-Propanamine, 3-(trimethoxysilyl)- 13822-56-5	EC50 (72h) > 1000 mg/l (Desmodesmus subspicatus) EU Method C.3 (Algal Inhibition test)	LC50 (96h) > >934 mg/L (Danio rerio) OECD 203	-	EC50 (48h) = 331 mg/L (Daphnia magna) OECD 202
Carbon black 1333-86-4	>10000 mg/l (Desmodesmus subspicatus) OECD 202	>1000 mg/l (Brachydanio rerio) OCDE 203	-	EC50: >5600mg/L (24h, Daphnia magna)
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate 52829-07-9	EC50 72Hr 0.705 mg/l (Pseudokirchnerella subcapitata)	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	-	LC50 48Hr 8.58 mg/l (Daphnia magna)

Persistence and degradability

Persistence and degradability No information available.

SIMSON ISR 70-05 AP BLACK

Revision Number 2.01 Supersedes Date: 10-Jul-2019

Revision date 19-Jul-2022

Component Information			
Trimethoxyvinylsilane (2768-02-7	")		
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			_

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)			
Method	Exposure time	Value	Results
OECD Test No. 301A: Ready	28 days		67 % Not readily
Biodegradability: DOC Die-Away	-		biodegradable
Test (TG 301 A)			-

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)				
Method	Exposure time	Value	Results	
OECD Test No. 303: Simulation Test	28 days	Total organic carbon (TOC)	24 % Moderate	
- Aerobic Sewage Treatment A:	-			
Activated Sludge Units; B: Biofilms				

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
2768-02-7	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35
52829-07-9	

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

ADG Not regulated

IATA Not regulatedIMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

SIMSON ISR 70-05 AP BLACK Revision Number 2.01

Revision Number 2.01 Supersedes Date: 10-Jul-2019

Revision date 19-Jul-2022

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number Not applicable 7

International Inventories

AIIC Not Listed
NZIoC Not Listed
ENCS Listed
IECSC Not Listed
KECL Listed
PICCS Not Listed

Legend

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Revision date 19-Jul-2022

SIMSON ISR 70-05 AP BLACK

Revision Number 2.01 Supersedes Date: 10-Jul-2019

Revision date 19-Jul-2022

Revision Note

Not applicable.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet