Revision: 04/04/2022

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2020/878 and US OSHA HCS 2015

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Code: PL-103

Product Name: Oz REPAIR RESIN 15ml

1.2 Relevant identified uses of the substance or mixture and uses advised against:

1.3 Details of the Supplier of the Safety Data Sheet:

Company Name: ALP Oz Auto Moulds Pty Ltd

26 Apollo Drive HALLAM VIC 3803

Web site address: www.alpoz.com.au

1.4 Emergency telephone number: 13 11 26

Emergency Contact: Poisons Information Line (Within Australia)

Section 2. Hazards Identification

2.1 Classification of the Substance or Mixture:

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Skin Sensitization, Category 1

2.2 Label Elements:



GHS Signal Word: Warning

Hazard-determining components of labelling:

GHS Hazard Phrases:

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

GHS Precautionary Phrases:

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases:

P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment see ... on this label.

P332+313 - If skin irritation occurs, get medical advice/attention.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P362+364 - Take off contaminated clothing and wash it before reuse.

GHS Storage and Disposal Phrases:

P501 - Dispose of contents/container to ...

Revision: 04/04/2022

UFI:

2.3 Adverse Human Health Hazards not otherwise classified (HNOC) or not covered by GHS -none. Hazards not Effects and Symptoms: otherwise classified (HNOC) or not covered by GHS.

Section 3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
25852-47-5	Polyglycol dimethacrylate	85.0 -95.0 %	NA NA	No GHS classifications apply.
3290-92-4	Trimethylolpropane trimethacrylate 01-2119542176-41	1.0 -5.0 %	221-950-4 NA	Aquatic (C) 2: H411

Section 4. First Aid Measures

4.1 Description of First AidConsult a physician. Show this safety data sheet to the doctor in attendance. Move out of

Measures: dangerous area.

In Case of Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In Case of Skin Wash off with soap and plenty of water. Consult a physician.

Contact:

In Case of Eye Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Contact: Flush eyes with water as a precaution.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician.

4.2 Important Symptoms

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

and Effects, Both

Acute and Delayed:

4.3 Indication of any

No data available.

immediate medical attention and special treatment needed:

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Media:

Unsuitable High power water jet.

Extinguishing Media:

5.2 Flammable Properties Nature of decomposition products not known. Carbon oxides.

and Hazards:

Flash Pt: > 113.00 C (235.4 F) Method Used: Estimate

Explosive Limits: LEL: UEL:

Autoignition Pt:

5.3 Fire Fighting Wear self contained breathing apparatus for fire fighting if necessary.

Instructions: Further information: Collect contaminated fire extinguishing water separately. Do not

allow runoff to enter drains or surface water. Use water spray jet to protect personnel and to cool endangered containers. In case of major fire and large quantities: Evacuate

area and fight fire remotely due to the risk of explosion.

Revision: 04/04/2022

Section 6. Accidental Release Measures

Protective Precautions, Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure 6.1 adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For

Protective Equipment and Emergency

personal protection see section 8.

Procedures:

6.2 Do not let product enter drains. Prevent further leakage or spillage if safe to do so. **Environmental**

Discharge into the environment must be avoided. Methods and materials for containment **Precautions:**

and cleaning up: Keep in suitable, closed containers for disposal.

6.3 **Methods and Material**

Cleaning Up:

For Containment and

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in

suitable, closed containers for disposal.

Section 7. Handling and Storage

7.1 Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide **Precautions To Be**

appropriate exhaust ventilation at places where dust is formed. For precautions see Taken in Handling:

section 2.

7.2 **Precautions To Be**

Taken in Storing:

Keep container tightly closed in a dry and well-ventilated place. Recommended storage

temperature: 2 -8 - 8 deg.C.

Heat-, light-, and moisture-sensitive. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Product is sensitive to light and moisture.

Other Precautions: Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

Section 8. Exposure Controls/Personal Protection

8.1 **Exposure Parameters:**

8.2 **Exposure Controls:**

8.2.1 Engineering Controls Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday. (Ventilation etc.):

8.2.2 Personal protection equipment:

Eye Protection: Safety glasses with side-shields conforming to EN166. Use equipment for eye protection

tested and approved under appropriate government standards such as NIOSH (US) or

EN 166(EU).

Protective Gloves: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal

> technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

Other Protective

Impervious clothing.

Clothing:

Respiratory Equipment is not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN

14387) respirator cartridges. Use respirators and components tested and approved (Specify Type):

under appropriate government standards such as NIOSH (US) or CEN (EU).

Work/Hygienic/Mainten Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday. ance Practices:

8.2.3 Environmental Do not let product enter drains. Prevent further leakage or spillage if safe to do so.

Discharge into the environment must be avoided. **Exposure Controls:**

Exposure Scenarios:

Revision: 04/04/2022

Section 9. Ph	rysical and Chemical Pro	perties

9.1 Information on Basic Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Tinted.

characteristic odor.

pH:

Melting Point: NA -41.60 - -29.50 C (-21.1 F)

Boiling Point: 200.00 C (392.0 F)

Flash Pt: > 113.00 C (235.4 F) Method Used: Estimate

Evaporation Rate: Saturated Vapor Concentration:

Flammability (solid, gas):

Explosive Limits: LEL: UEL:

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): Specific Gravity (Water = 1):

Density: 1.11 G/ML

Solubility in Water:
Octanol/Water Partition

Coefficient:
Autoignition Pt:
Decomposition
Temperature:
Viscosity:

Explosive Properties: No data available. **Oxidizing Properties:** No data available.

9.2 Other Information

9.2.1 Information with regard to physical hazard classes

Information with regard to primary physical hazard:

9.2.2 Other safety characteristics

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Stability: Unstable [] Stable [X]

10.3 Conditions To Avoid - Protect against UV Radiation, Direct sunlight, heat, open flame, and sparks.

Hazardous Reactions:

Possibility of Will occur [] Will not occur [X]

Hazardous Reactions:

10.4 Conditions To Avoid -

Instability:

10.5 Incompatibility - Strong acids, strong oxidizing agents and concentrated alkalis.

Materials To Avoid:

10.6 Hazardous Semi-Solid.

Decomposition or Byproducts:

Multi-region format

Revision: 04/04/2022

Section 11. Toxicological Information

11.1 Information on CAS# 3290-92-4: Acute toxicity, LD50, Oral, Rat, 5660. UL/KG; Toxicology and Applied

Toxicological Effects: Pharmacology, Academic Press, Inc., Vol/p/yr: 28,313, 1974

> Acute toxicity, LD50, Skin, Species: Rabbit, 16.00 ML/KG. Result: Behavioral: Somnolence (general depressed activity). Gastrointestinal: Hypermotility, diarrhea. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.; Toxicology and

Applied Pharmacology, Academic Press, Inc., Vol/p/yr: 28,313, 1974

Irritation or Corrosion: Semi-Solid.

Semi-Solid.

Semi-Solid. Sensitization:

Chronic Toxicological Specific target organ toxicity - single exposure: Inhalation: May cause respiratory

Effects:

Information:

irritation.

Specific target organ toxicity -repeated exposure: no data available.

Carcinogenicity/Other IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

NTP? No IARC Monographs? No OSHA Regulated? No Carcinogenicity:

Section 12. Ecological Information

12.1 Toxicity: No data available.

12.2 Persistence and

Degradability:

Semi-Solid.

12.3 Bioaccumulative

Semi-Solid.

Potential:

12.4 Mobility in Soil: No data available.

12.5 Results of PBT and

PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted. vPvB assessment:

12.6 Other adverse effects: No data available.

Section 13. Disposal Considerations

13.1 Waste Disposal

Product:

Method:

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a

licensed professional waste disposal service to dispose of this material.

Contaminated packaging:

Semi-Solid.

Revision: 04/04/2022

Section 14. Transport Information

14.1 LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not a dangerous good in sense of this transport regulation.

DOT Hazard Class: UN/NA Number:

14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not a dangerous good in sense of this transport regulation.

UN Number: Hazard Class:

14.2 MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not a dangerous good in sense of this transport regulation.

UN Number: Packing Group:

Hazard Class:

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not a dangerous good in sense of this transport regulation.

UN Number: Packing Group:

Hazard Class:

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
25852-47-5	Polyglycol dimethacrylate	No	No	No
3290-92-4	Trimethylolpropane trimethacrylate	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

	1		
[] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)		
[] Yes [X] No	Combustible Dust		
[] Yes [X] No	In contact with water emits flammable gas	[] Yes [X] No	(Health) Hazard Not Otherwise Classified (HNOC)
[] Yes [X] No	Gas under pressure (compressed gas)	[] Yes [X] No	Simple Asphyxiant
[] Yes [X] No	Corrosive to metal	[] Yes [X] No	Aspiration Hazard
[] Yes [X] No	Organic peroxide	[] Yes [X] No	Specific target organ toxicity (single or repeated exposure)
[] Yes [X] No	Self-heating	[] Yes [X] No	Reproductive toxicity
[] Yes [X] No	Pyrophoric gas	[] Yes [X] No	Carcinogenicity
[] Yes [X] No	Pyrophoric (liquid or solid)	[] Yes [X] No	Germ cell mutagenicity
[] Yes [X] No	Self-reactive	[X] Yes [] No	Respiratory or Skin Sensitization
[] Yes [X] No	Oxidizer (liquid, solid or gas)	[X] Yes [] No	Serious eye damage or eye irritation
[] Yes [X] No	Flammable (gases, aerosols, liquid, or solid)	[X] Yes [] No	Skin Corrosion or Irritation
[] Yes [X] No	Explosive	[] Yes [X] No	Acute toxicity (any route of exposure)

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
25852-47-5	Polyglycol dimethacrylate	TSCA: Yes - Inventory: Active; CA PROP.65: No
3290-92-4	Trimethylolpropane trimethacrylate	TSCA: Yes - Inventory: Active/Exempt; CA PROP.65: No
CAS#	Hazardous Components (Chemical Name)	International Regulatory Lists
CAS # 25852-47-5	Hazardous Components (Chemical Name) Polyglycol dimethacrylate	International Regulatory Lists REACH: Yes - (P)

Page: 7 of 7

Revision: 04/04/2022

Section 16. Other Information

Revision Date: 04/04/2022

Additional Information About

This Product:

Company Policy or

Disclaimer:

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new

made-up material.

Multi-region format